

CabMark™

Your complete solution for marking and identifying cables and components.





Products

CabMark CMP	4
CabMark CPL	6
CabMark ZHS	8
CabMark ZHCO	10
CabMark CMW	12
CabMark POL	14
CabMark CMSS	16
CabMark CAB-on	18
CabMark LMT	20
Flexible	22
Flexible	23
CabMark™ E5	24
CabMark™ SQ	25
Ribbons	26
Label Software	27
Printer Parts	28
Print Shop	29
Disclaimer	30



CabMark CMP

PUR cable marker in pre-cut liner format

CabMark CMP - high performance cablemarkers made in PUR material. The smart-design with pre-punched markers integrated in the liner - enables you to remove and mount the markers very fast. We call it: Print, rib-off and mount. Together with CabMark high performance ribbon you are secured a high print quality - can be used in harsh environments.

Chose between 2 different types - standard type to be mounted with 2 cable-ties and our Octave marker to be mounted with 1 cable tie.

Standard colours are yellow, white, red, orange and black.

Other colours on request.

Material:
Polyurethane, zero halogen, UV stable, Flame retardant.

Operating temperature:
-30° C – +90° C

Specification:
Adherence MIL 81531/ V-0/3mm according to UL94.

Colours:
Yellow, White, red, black and orange.

Printer recommended:
CabMark SQ-M 4/300 or CabMark E5.

Ribbon recommended:
CCR / CC XT black.

Storage:
In original packing at 45-55% RH.

Use within 2 years from manufacture.



Art. no. & Colour				Size	Sales Unit
5710190-					
CMP PUR:					
☐ 550005	☒ 550142	☒ 550289	☒ 550074	PUR 60 x 10 mm	1.000 pcs. /roll
☒ 550210	☒ 550357	☒ 550487	☒ 550524		
☒ 550562					
☐ 550012	☒ 550159	☒ 550296	☒ 550081	PUR 75 x 15 mm	1.000 pcs. /roll
☒ 550227	☒ 550364				
☐ 550029	☒ 550166	☒ 550302	☒ 550098	PUR 90 x 25 mm	750 pcs. /roll
☒ 550234	☒ 550371				
CMP Bonemark:					
☒ 550753	☐ 550760	☒ 550777	☒ 550784	71 x 30 mm	700 pcs. /roll
CMP Octave:					
☒ 550838	☐ 550807			2 in a row 30 x 24 mm	1.660 pcs. /roll
☒ 550845	☐ 550852	☒ 550869	☒ 550876	1 in a row 40 x 25 mm	500 pcs. /roll
CMP Manila:					
☒ 550890	☐ 550868			90 x 11 mm	1.000 pcs. /roll

CabMark CPL

Control Panel Labels - raised for special marking

CabMark CPL is a high quality label and can replace engraved and plotted plates. CPL is a cost saving label, it saves handling costs up to several times compared to normal plates and you can make them when you need them – no waiting time!

With its high durability and fantastic adhesion strength you have a great product for less money.

- Good resistance against scratching, smearing and rubbing.
- Excellent UV resistance on printed image.
- High tack adhesive, suitable for rough surfaces.
- Easier, faster, and more cost-effective than engraved metal plates.
- Up to 6 colours: black, white, yellow, silver, red and green.
- Good chemical resistance against alcohols and diesel oil.

Standard colours are metal, white, yellow and red.

Other colours can be supplied on request.
UL Recognized.

Material:
Polyethylene overfolie / Polyethen foam, UV stable.

Thickness:
0,6 mm

Operating temperature:
-30° C – +135° C

Application temperature:
+5° C – +40° C

Specification:
Over Foil UL approved.

Colours:
Silver, white and yellow - other colours on request.

Printer recommended:
SQUIX-M 4 / E5

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at +15° C – +22° C and 45-55% RH.

Use within 2 years from manufacture.

Art. no. & Colour				Size	Sales Unit
5710190-					
■ 530007	□ 530786	■ 531585	■ 532360	27 x 8 mm	2.500 pcs. /roll
■ 530014	□ 530793	■ 531592	■ 532377	27 x 12,5 mm	2.000 pcs. /roll
■ 530021	□ 530809	■ 531608	■ 532384	27 x 15 mm	1.500 pcs. /roll
■ 530038	□ 530816	■ 531615	■ 532391	27 x 18 mm	1.500 pcs. /roll
■ 530113	□ 530892	■ 531684	■ 532469	35 x 18 mm	1.000 pcs. /roll
■ 530182	□ 530977	■ 531752	■ 532537	45 x 15 mm	500 pcs. /roll
■ 530250	□ 531042	■ 531837	■ 532605	48 x 19 mm	1.000 pcs. /roll
■ 530328	□ 531110	■ 531905	■ 532681	60 x 30 mm	500 pcs. /roll
■ 530403	□ 531196	■ 531974	■ 532759	70 x 18 mm	1.000 pcs. /roll
■ 530465	□ 531264	■ 532049	■ 532834	80 x 60 mm	500 pcs. /roll
■ 530533	□ 531318	■ 532117	■ 532889	90 x 45 mm	500 pcs. /roll
■ 530618	□ 531370	■ 532179	■ 532957	100 x 30 mm	500 pcs. /roll
■ 530632	□ 531387	■ 532186	■ 532964	100 x 50 mm	500 pcs. /roll
■ 530663	□ 531400	■ 532100	■ 532971	100 x 90 mm	200 pcs. /roll
■ 530687	□ 531424	■ 532223	■ 533008	100 x 140 mm	200 pcs. /roll



CabMark ZHS

Liner organized heat shrinkable wire markers.

CabMark ZHS – heat shrinkable markers is one of the fastest wire-marking products on the market.

The flattened tube is designed for thermal transfer printing and is recommended to be printed with CabMark ribbons, to ensure you a high quality print. The markers are placed on a carrier/liner and can easily be removed, and attached to your wires.

Sizes from Ø2,4 up to Ø50,8 mm and lengths from 12,5 to 50 mm makes CabMark ZHS very flexible and supports you on all necessary sizes of wires.


Sizes from Ø2,4mm to Ø50,8mm and legths from 12,5mm to 50mm makes CabMark ZHS a flexible solution fit for any wires you may have.

We offer as standard CabMark ZHS in yellow and white tubing.

Other colours can be supplied on request.

- Material:**
Polyolefin 2:1 / 3:1. Paper carrier with adhesive tape.
- Operating temperature:**
-30° C – +125° C
- Shrink temperature:**
+95° C
- Specification:**
UL 2556 / MIL-DTL-23053E
- Colours:**
Yellow/White - other colours on request.
- Printer recommended:**
CabMark SQ-M 4/300
- Ribbon recommended:**
CCR / CC XT black
- Storage:**
In original packing at 45-55% RH.
- Use within 2 years from manufacture.**

Art. no. & Colour				Size	Sales Unit
5710190-					
2:1		3:1			
■ 544004	□ 544387	■ 547883	□ 545179	2,4 x 12,5 mm	4.000 pcs. /roll
■ 544011	□ 544394	■ 544790	□ 545186	2,4 x 25 mm	2.000 pcs. /roll
■ 544028	□ 544400	■ 544806	□ 545193	2,4 x 50 mm	1.000 pcs. /roll
■ 544035	□ 544417	■ 544813	□ 545209	3,2 x 12,5 mm	4.000 pcs. /roll
■ 544042	□ 544424	■ 544820	□ 545216	3,2 x 25 mm	2.000 pcs. /roll
■ 544059	□ 544431	■ 544837	□ 555223	3,2 x 50 mm	1.000 pcs. /roll
■ 544066	□ 544448	■ 544844	□ 545230	4,8 x 12,5 mm	4.000 pcs. /roll
■ 544073	□ 544455	■ 544851	□ 545247	4,8 x 25 mm	2.000 pcs. /roll
■ 544080	□ 544462	■ 544868	□ 545254	4,8 x 50 mm	1.000 pcs. /roll
■ 544097	□ 544479	■ 544875	□ 545261	6,4 x 12,5 mm	2.000 pcs. /roll
■ 544103	□ 544486	■ 544882	□ 545278	6,4 x 25 mm	1.000 pcs. /roll
■ 544110	□ 544493	■ 544899	□ 545285	6,4 x 50 mm	1.000 pcs. /roll
■ 544127	□ 544509	■ 544905	□ 545292	9,5 x 12,5 mm	2.000 pcs. /roll
■ 544134	□ 544516	■ 544912	□ 545308	9,5 x 25 mm	1.000 pcs. /roll
■ 544141	□ 544523	■ 544929	□ 545315	9,5 x 50 mm	500 pcs. /roll
■ 544158	□ 544530	■ 544936	□ 545322	12,7 x 12,5 mm	2.000 pcs. /roll
■ 514165	□ 544547	■ 544943	□ 545339	12,7 x 25 mm	1.000 pcs. /roll
■ 544172	□ 534554	■ 544950	□ 545346	12,7 x 50 mm	500 pcs. /roll
■ 544189	□ 544561	■ 544967	□ 545353	19,1 x 12,5 mm	2.000 pcs. /roll
■ 544196	□ 544578	■ 544974	□ 545360	19,1 x 25 mm	1.000 pcs. /roll
■ 544202	□ 544585	■ 544981	□ 545377	19,1 x 50 mm	500 pcs. /roll
■ 544226	□ 544608	■ 545001	□ 545391	25,4 x 25 mm	600 pcs. /roll
■ 544233	□ 544615	■ 545018	□ 545407	25,4 x 50 mm	300 pcs. /roll
■ 544257	□ 544639	■ 545025	□ 545414	38,1 x 50 mm	100 pcs. /roll
■ 544271	□ 544653	■ 545032	□ 545421	50,1 x 50 mm	100 pcs. /roll





CabMark ZHCO

Continuous heat shrinkable sleeves 2:1 / 3:1

CabMark ZHCO – heat shrinkable endless tubing is one of the fastest wire-marking products on the market.

The flattened tube is designed for thermal transfer printing and is recommended to be printed with CabMark ribbons, to ensure you a high quality print.

The tubing is delivered on rolls and is designed for endless thermal transfer printing. Used together with a cutter you are able to make exactly the lengths you request and a huge amount in a short time.

Sizes from Ø2,4mm to Ø50,8mm makes CabMark ZHCO a flexible solution fit for any wires you may have.

CabMark ZHCO is available in standard colours of yellow and white.

Other colours can be supplied on request.

UL Filenumber: E479361

Material:
Polyolefin 2:1 / 3:1. Paper carrier with adhesive tape.

Operating temperature:
-30° C – +125° C

Shrink temperature:
+95° C

Specification:
UL 2556 / MIL-DTL-23053E

Colours:
Yellow/White - other colours on request.

Printer recommended:
CabMark SQ-M 4/300 or CabMark E5.

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at 45-55% RH.

Use within 2 years from manufacture.

Art. no. & Colour				Size	Sales Unit
5710190-					
2:1		3:1			
■ 548651	□ 548781			Ø 1,6 mm	50 m
■ 548668	□ 548798			Ø 2,4 mm	50 m
■ 548675	□ 548804	■ 548378	□ 548597	Ø 3,2 mm	50 m
■ 548682	□ 548811	■ 548385	□ 548514	Ø 4,8 mm	100 m
■ 548699	□ 548828	■ 548392	□ 548521	Ø 6,4 mm	100 m
■ 548705	□ 548835	■ 548408	□ 548538	Ø 9,5 mm	100 m
■ 548712	□ 548842	■ 548415	□ 548545	Ø 12,7 mm	100 m
■ 48729	□ 548859	■ 548422	□ 548552	Ø 19,1 mm	100 m
■ 548736	□ 548866	■ 548439	□ 548569	Ø 25,4 mm	100 m
■ 548743	□ 548873	■ 548446	□ 548576	Ø 38,1 mm	100 m
■ 548750		■ 548453	□ 548583	Ø 50,8 mm	50 m
	□ 548880			Ø 50,8 mm	100 m





CabMark CMW

Wraparound cable markers

CabMark CMW – is designed for thermal transfer printing and can be used on all kind of wires and cables.

The material is specially designed for applications where squeezability, conformability and transparency are required. The acrylic adhesive is developed for synthetic face materials. Excellent clarity, UV-stability and good water resistance once labeled.

Good adhesion properties and heat resistance. The advantage of CMW is, that it can be used on already mounted cables - mark your cables without disconnecting anything. The wide range of sizes allows you to use it on very small up to large sized cables.

Standard colours are white and yellow.

Other colours can be delivered on request.

Material:
Polyolefin 2:1 / 3:1. Paper carrier with adhesive tape.

Operating temperature:
-30° C – +125° C

Shrink temperature:
+95° C

Specification:
UL 2556 / MIL-DTL-23053E

Colours:
Yellow/White - other colours on request.

Printer recommended:
CabMark SQ-M 4/300

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at 45-55% RH.

Use within 2 years from manufacture.



Art. no. & Colour		Size W x TH x L	Sales Unit
5710190-			
☐ 535002	☒ 535514	10 x 5 x 20 mm	5.000 pcs. /roll
☐ 535040	☒ 535552	12,7 x 9,1 x 19 mm	5.000 pcs. /roll
☐ 535057	☒ 535569	12,7 x 8,3 x 23,8 mm	10.000 pcs. /roll
☐ 535064	☒ 535576	12,7 x 12,7 x 38,1 mm	10.000 pcs. /roll
☐ 535095	☒ 535590	15 x 5 x 30 mm	7.500 pcs. /roll
☐ 535125	☒ 535637	20 x 10 x 40 mm	5.000 pcs. /roll
☐ 535170	☒ 535682	25,4 x 12,7 x 38,1 mm	10.000 pcs. /roll
☐ 535187	☒ 535699	25,4 x 19,0 x 57,2 mm	2.500 pcs. /roll
☐ 535194	☒ 535705	25,4 x 25,4 x 95,2 mm	2.500 pcs. /roll
☐ 535200	☒ 535866	38,1 x 19,0 x 57,2 mm	2.500 pcs. /roll
☐ 535224	☒ 535712	25,4 x 25,4 x 152,4 mm	2.500 pcs. /roll
☐ 535231		25,4 x 25,4 x 175 mm	500 pcs. /roll
☐ 535248	☒ 535750	25,4 x 38,1 x 190 mm	500 pcs. /roll
☐ 535262	☒ 535774	30 x 15 x 175 mm	1.000 pcs. /roll
	☒ 535842	38,1 x 12,7 x 38,1 mm	2.000 pcs. /roll
	☒ 535873	40 x 30 x 95 mm	2.500 pcs. /roll
☐ 535316	☒ 535897	40 x 30 x 150 mm	2.500 pcs. /roll
☐ 535323	☒ 535927	40 x 30 x 210 mm	500 pcs. /roll
	☒ 535941	50,8 x 12,7 x 34,9 mm	2.500 pcs. /roll
☐ 535361	☒ 535958	50,8 x 19,1 x 57,1 mm	2.500 pcs. /roll
☐ 535408		50,8 x 25,4 x 95 mm	2.000 pcs. /roll
☐ 535415		50,8 x 38,1 x 150 mm	1.000 pcs. /roll
	☒ 535972	50,8 x 25,4 x 69,8 mm	2.000 pcs. /roll
	☒ 536009	50 x 25 x 150 mm	2.000 pcs. /roll
	☒ 536023	50 x 25 x 180 mm	2.000 pcs. /roll
	☒ 536047	50 x 25 x 200 mm	2.000 pcs. /roll



CabMark POL

Polyester labels

CabMark POL - is a high-end polyester label for thermal transfer printing to be used in harsh environment if needed.

Printed with CabMark ribbon you are secured a high quality print to be used in a wide variety of applications.

Standard colours are metal and white.

Other colours can be delivered on request.
UL Recognized.

- Material:**
Polyester
- Operating temperature:**
-30° C – +150° C
- Application temperature:**
From +5° C
- Specification:**
UL94
- Colours:**
Silver, white - other colors on request.
- Printer recommended:**
CabMark SQ-M 4/300 or CabMark E5.
- Ribbon recommended:**
CCR / CC XT black
- Storage:**
In original packing at +10° C - +30° C and 45-55% RH.
- Use within 2 years from manufacture.**

Art. no. & Colour				Size	Sales Unit
5710190-					
	■ 520923	□ 522002		10 x 5 mm	10.000 pcs. /roll
■ 520008	■ 520930	□ 522019		15 x 5 mm	10.000 pcs. /roll
■ 520015				12,7 x 6,35 mm	10.000 pcs. /roll
	■ 520947			15 x 10 mm	2.000 pcs. /roll
		□ 522033		16 x 10 mm	10.000 pcs. /roll
		□ 522057		19,05 x 4,8 mm	10.000 pcs. /roll
		□ 522071	■ 519026	20 x 10 mm	3.000 pcs. /roll
■ 520077		□ 522101		25,4 x 12,7 mm	10.000 pcs. /roll
	■ 521005			28 x 20 mm	2.000 pcs. /roll
	■ 521029	□ 522125		30 x 11 mm	2.000 pcs. /roll
■ 520107				30 x 20 mm	5.000 pcs. /roll
	■ 519231	□ 522163	■ 519040	40 x 6 mm	4.000 pcs. /roll
■ 520152	■ 529248	□ 522170	■ 519057	40 x 10 mm	2.000pcs. /roll
	■ 521098			40 x 20 mm	5.000 pcs. /roll
		□ 522224		50 x 10 mm	2.500 pcs. /roll
		□ 522231		50 x 15 mm	2.000 pcs. /roll
■ 520237				50 x 35 mm	2.000 pcs. /roll
■ 520220	■ 521166	□ 522248		50,8 x 25,4 mm	2.500 pcs. /roll
		□ 522286		59 x 10 mm	4.000 pcs. /roll
■ 520350	■ 521296			70 x 30 mm	1.000 pcs. /roll
		□ 522354		72 x 37 mm	2.500 pcs. /roll
■ 520374	■ 521333			75 x 10 mm	2.000 pcs. /roll
		□ 522385		76,2 x 25,4 mm	2.500 pcs. /roll
■ 520381				76,2 x 50,8 mm	1.000 pcs. /roll
		□ 522408		76,2 x 50,8 mm	2.500 pcs. /roll
		□ 522514		90 x 30 mm	1.500 pcs. /roll
■ 520541	■ 521456			95 x 20 mm	2.000 pcs. /roll
■ 520589	■ 521494			100 x 28 mm	2.000 pcs. /roll
■ 520633	■ 521531			100 x 50 mm	2.500 pcs. /roll
	■ 521692			100 x 130 mm	500 pcs. /roll
■ 520640				101,6 x 57,15 mm	500 pcs. /roll
		□ 522804		Ø 10 mm	10.000 pcs. /roll
		□ 522804		Ø 20 mm	9.000 pcs. /roll



CabMark CMSS

Pre-embossed steel markers

- Easy to read in dimmed light and inaccessible places.
- Complete range of individual letters, numbers and symbols.
- Slide directly onto carrier strip to create a self-contained wrap tag.

CabMark CMSS – a simple and flexible marking product which is especially designed for very harsh environments like Offshore and chemical industries.

You only need to secure your stock of the numbers and Carrier you need – delivered in a smart strong box you are always able to mark your applications fast and safe.

Pre-embossed stainless steel markers

Art. no. 5710190- Carrier size

Sales Unit 1 pcs. /roll

■ 551309	5 characters
■ 551316	10 characters
■ 551323	15 characters
■ 551330	20 characters
■ 551347	25 characters
■ 551354	30 characters

Pre-embossed steel markers

Art. no. 5710190- Type and Size

Sales Unit 10 pcs. /roll

■ 552016	Carrier for 5 characters
■ 552023	Carrier for 7 characters
■ 552030	Carrier for 11 characters
■ 552047	Carrier for 15 characters

Sales Unit 200 pcs. /roll

■ 552146	Tag - „A”
■ 552153	Tag - „B”
■ 552160	Tag - „C”
■ 552177	Tag - „D”
■ 552184	Tag - „E”
■ 552191	Tag - „F”
■ 552207	Tag - „G”
■ 552214	Tag - „H”
■ 552221	Tag - „I”
■ 552238	Tag - „J”
■ 552245	Tag - „K”
■ 552252	Tag - „L”
■ 552269	Tag - „M”
■ 552276	Tag - „N”
■ 552283	Tag - „O”
■ 552290	Tag - „P”
■ 552306	Tag - „Q”

■ 552313	Tag - „R”
■ 552320	Tag - „S”
■ 552337	Tag - „T”
■ 552344	Tag - „U”
■ 552351	Tag - „V”
■ 552368	Tag - „Q”
■ 552375	Tag - „X”
■ 552382	Tag - „Y”
■ 552399	Tag - „Z”
■ 552405	Tag - „1”
■ 552412	Tag - „2”
■ 552429	Tag - „3”
■ 552436	Tag - „4”
■ 552443	Tag - „5”
■ 552450	Tag - „6”
■ 552467	Tag - „7”
■ 552474	Tag - „8”
■ 552481	Tag - „9”
■ 552498	Tag - „0”
■ 552504	Tag - „BLANK”
■ 552511	Tag - „+”
■ 552528	Tag - „-”
■ 552535	Tag - „~”
■ 552542	Tag - „->”
■ 552559	Tag - „/”
■ 552566	Tag - „&”
■ 552573	Tag - „±”

Material:
100%StainlessSteel316/UVstable.

Operating temperature:
-80° C - +500° C

Specification:
Lloyd's register, DNV, ABS, and UL.

Colours:
Metalized

Salt spray:
Tests without any signs of Corrosion or Reduction in Performance.

Storage:
In original packing no limit.

CabMark CAB-on

Wire markers on stick

CabMark Cab-on – Very felxible wire markers from small to bigger sizes.

Where few characters are needed this is a good recommendable solution – it is fast, simple and easy to use.

Slide the marker forward and push it onto the cable or wire with your thumb to place it perfectly.

Material:

Super strong high performance Polymide / PA 66 UV stabilized.

Operating temperature:

-30° C - +105° C

Specification:

UL94 / UL746A

Colours:

Stab in different colours / signs in white colour.

Storage:

In original packing at 30 – 70% RH
Use within 5 years.



Art. no. & Colour			Size	Art. no. & Colour			Size
5710190-				5710190-			
■ 583010	0	■ 583027	1	0,1 - 0,4 mm²			
■ 583034	2	■ 583041	3	0,1 - 0,4 mm²	■ 585533	2	■ 585540 3 2,5 - 4,0 mm²
■ 583058	4	■ 583065	5	0,1 - 0,4 mm²	■ 585557	4	■ 585564 5 2,5 - 4,0 mm²
■ 583072	6	■ 583089	7	0,1 - 0,4 mm²	■ 585571	6	■ 585588 7 2,5 - 4,0 mm²
■ 583096	8	■ 583102	9	0,1 - 0,4 mm²	■ 585595	8	■ 585601 9 2,5 - 4,0 mm²
■ 583515	0	■ 583522	1	0,5 mm²	■ 586011	0	■ 586028 1 4,0 - 6,0 mm²
■ 583539	2	■ 583546	3	0,5 mm²	■ 586035	2	■ 586042 3 4,0 - 6,0 mm²
■ 583553	4	■ 583660	5	0,5 mm²	■ 586059	4	■ 586066 5 4,0 - 6,0 mm²
■ 583577	6	■ 583584	7	0,5 mm²	■ 586073	6	■ 586080 7 4,0 - 6,0 mm²
■ 583591	8	■ 583607	9	0,5 mm²	■ 586516	0	■ 586523 1 6,0 - 10,0 mm²
■ 584017	0	■ 584024	1	0,75 mm²	■ 586530	2	■ 586547 3 6,0 - 10,0 mm²
■ 584031	2	■ 584048	3	0,75 mm²	■ 586554	4	■ 586561 5 6,0 - 10,0 mm²
■ 584055	4	■ 584062	5	0,75 mm²	■ 586578	6	■ 586585 7 6,0 - 10,0 mm²
■ 584079	6	■ 584086	7	0,75 mm²	■ 586592	8	■ 586608 9 6,0 - 10,0 mm²
■ 584093	8	■ 584109	9	0,75 mm²	■ 586646	(.)	■ 586653 + 6,0 - 10,0 mm²
■ 584147	(.)	■ 584154	+	0,75 mm²	■ 586660	-	■ 586783 L 6,0 - 10,0 mm²
■ 584161	-	■ 584383	X	0,75 mm²	■ 586806	N	6,0 - 10,0 mm²
■ 584512	0	■ 584529	1	1,0 - 1,5 mm²	■ 587025	1	587032 2 16,0 - 25,0 mm²
■ 584536	2	■ 584543	3	1,0 - 1,5 mm²	■ 587049	3	587223 L 16,0 - 25,0 mm²
■ 584550	4	■ 584567	5	1,0 - 1,5 mm²	■ 587247	N	587445 L1 16,0 - 25,0 mm²
■ 584574	6	■ 584581	7	1,0 - 1,5 mm²	■ 587452	L2	587469 L3 16,0 - 25,0 mm²
■ 584598	8	■ 584604	9	1,0 - 1,5 mm²	■ 587520	1	587537 2 25,0 - 70,0 mm²
■ 584642	(.)	■ 584659	+	1,0 - 1,5 mm²	■ 587544	3	587728 L 25,0 - 70,0 mm²
■ 584666	-	■ 584727	F	1,0 - 1,5 mm²	■ 587742	N	587940 L1 25,0 - 70,0 mm²
■ 585014	0	■ 585021	1	1,5 - 2,5 mm²	■ 587957	L2	587964 L3 25,0 - 70,0 mm²
■ 585038	2	■ 585045	3	1,5 - 2,5 mm²	■ 588022	1	588039 2 70,0 - 95 mm²
■ 585052	4	■ 585069	5	1,5 - 2,5 mm²	■ 588046	3	588220 L 70,0 - 95 mm²
■ 585076	6	■ 585083	7	1,5 - 2,5 mm²	■ 588244	N	588442 L1 70,0 - 95 mm²
■ 585090	8	■ 585106	9	1,5 - 2,5 mm²	■ 588459	L2	588466 L3 70,0 - 95 mm²
■ 585144	(.)			1,5 - 2,5 mm²	■ 588527	1	588534 2 120,0 mm²
■ 585151	+	■ 585168	-	1,5 - 2,5 mm²	■ 588541	3	588725 L 120,0 mm²
■ 585229	F			1,5 - 2,5 mm²	■ 588749	N	588947 L1 120,0 mm²
■ 585519	0	■ 585526	1	2,5 - 4,0 mm²	■ 588954	L2	588961 L3 120,0 mm²





CabMark LMT

Laminat cable and manila markers

Self-laminating markers for a wide variety of applications. Choose between LMT Manila and LMT Cable Markers. You can bring CabMark LMT with you everywhere and secure your marking fast and simple.

Manila for vales, boxes, instruments, motors, tools etc. Cable markers for wires and cables in different dimensions. Can also be used as manila.

Material carrier:

UV stabilised Polypropylene/PP
- 500µ thick and halogen free.

Material over foil:

Transparent Polyester, halogen free, 50µ thick.

Material adhesive:

Acrylic based long life adhesive specially for lamination.
UV resistant

Material liner:

White wood-free paper one side siliconised, chlorine free.

Operation temperature:

+0° C - +60° C

Specification:

DS10944 – life time minimum 15 years.

Storage:

In original packing a 45-55% RH.

Art. no. & Colour	Description	Size	Sales Unit
5710190-			
■ 553327	Cable marker LMT	100 x 15 mm	100 pcs. /roll
■ 553341	Cable marker LMT	125 x 15 mm	100 pcs. /roll
■ 553426	Manila LMT	63 x 28 mm	100 pcs. /roll
■ 553488	Manila LMT	145 x 28 mm	50 pcs. /roll



Flexible

CabMark Booklet Markers

Choose between markers for wires or labels for different applications. This is the most simple way to mark your applications. Just write the characters with the special pen and attach the label.

- Write with a pencil or waterproof ball pen on the white writeable area.
- Pull the marker from carrier.
- Press white text area firmly on the cable.
- Wrap the transparent end of marker tightly around the cable and cover the text area.

Material:
Transparent PVC foil
Thickness 0,08mm
White opaque write-on area

Adhesive:
Permanent Acrylic

Temperature:
Resistant from -30° C - +120° C
Application temperature +10° C



Art. no. & Colour	Description	Size	Sales Unit
5710190-			
☐ 539000	Labels	25 x 50 x 15 mm	90 pcs. /roll
☐ 539017	Labels	25 x 75 x 25 mm	60 pcs. /roll
☐ 539024	Labels	25 x 25 x 150 mm	30 pcs. /roll
☐ 539031	Labels	63 x 25 x 150 mm	30 pcs. /roll

Flexible

Self-adhesive write-on labels

Self-adhesive, write-on labels made of a satin acetate material, designed for marking electrical applications, operational equipments and stores.

Art. no. & Colour	Description	Size	Sales Unit
5710190-			
☐ 539109	Labels	8 x 21 mm	140 pcs.
☐ 539116	Labels	9 x 14 mm	840 pcs.
☐ 539123	Labels	11 x 19 mm	440 pcs.
☐ 539130	Labels	11 x 38 mm	220 pcs.
☒ 572908	Tusch	Ink color: BLACK	1 pcs.
☐ 572915	Grafit	Color: GRAFIT	1 pcs.



Material:
Satin acetate fabric with highly gloss surface and high covering capacity. Backing paper is coated and siliconised on one side. Thickness 0,25 mm
UV resistant.

Colour:
White/yellow

Adhesive:
Long lasting Acrylic.

Temperature:
-10° C - +100° C
Application temperature +10° C

CabMark™ E5

E5 Printer & Accessories

E5 combines all functions of a solid label printer with the highest ease of operation.

- Fast printing with 300dpi resolution (600dpi on request).
- Compact dimensions and weight for smaller workspace.
- 4,3" backlit touchscreen for easy operation.
- Compatible with Windows.
- Easy connection to PC or Laptop with USB 2.0.
- Built-in Ethernet socket for network operation.

CabMark includes a wide ranges of printers and accessories. If you do not find the accessory you are looking for please contact us. We offer only the

absolute best products in the market to be used together with our materials.

Art. no.	Description		Sales Unit
5710190-			
561186	(E5 Printer)	300 dpi	1 pcs.
561971	(Print roller)	Green rubber	1 pcs.
561933	(Printhead)	300 DPI	1 pcs.
561322	(Cutter)	PCU4	1 pcs.



CabMark™ SQ

SQ Printer & Accessories

This is a printer with an extremely large range of industrial applications. They have been developed with focus on easy and convenient operation and high reliability.

- The SQ can do everything from tiny labels up to big, thick labels and continuous materials.
- Fast printing with 300dpi resolution (600dpi on request).
- Compact dimensions and weight for smaller workspace.
- 4,3" backlit touchscreen for easy operation.
- Compatible with Windows.
- Easy connection to PC or Laptop with USB 2.0.
- Built-in Ethernet socket for network operation.
- Save on material expenses with backfeed funtion.

CabMark includes a wide ranges of accessories for our printers and offer only the absolute best products on the market to be used together with the materials.

If you do not find the accessory you are looking for please contact us.

Art. no.	Description		Sales Unit
5710190-			
560905	(E5 Printer)	300 dpi + wifi	1 pcs.
561551	(Print roller)	Green rubber	1 pcs.
561735	(Printhead)	300 DPI	1 pcs.
561278	(Cutter)	PCU4	1 pcs.



Ribbons

Ribbons for all printers

Your advantage by using the CabMark™ system is that you only need one type of ribbon for all our materials – the CCR.

We developed a special ribbon with high print performance and it does not matter if you are using PUR or polyester materials – you can print them all with the same ribbon.

Other colours on request.



Art. no. & Colour	Description	Size	Sales Unit
5710190-			
■ 571659	TT CCR	30 mm x 300 m	1 /roll
■ 571680	TT CCR	55 mm x 300 m	1 /roll
■ 571703	TT CCR	85 mm x 300 m	1 /roll
■ 571710	TT CCR	110 mm x 300 m	1 /roll
□ 571734	TT CCR	55 mm x 150 m	1 /roll
□ 571741	TT CCR	85 mm x 150 m	1 /roll
□ 571758	TT CCR	110 mm x 150 m	1 /roll
■ 570027	CC XT	30 mm x 360 m	1 /roll
■ 570058	CC XT	55 mm x 360 m	1 /roll
■ 570072	CC XT	85 mm x 360 m	1 /roll
■ 570096	CC XT	110 mm x 360 m	1 /roll



Label Software

CabSoft™

CabSoft is a powerful software for creating all kind of labels and markers. Create labels to be printed on heat shrink, PUR cable markers, CPL labels and standard labels. You work directly on the label and can easily put in pictures, text or numbers.


Use the import facility and create thousands of markers or labels within a short time. It saves you time and money.

With CabSoft you get:

- Graphic elements
- Import facilities
- Date and time printing
- Brilliant overview
- Working directly on the label
- Import pictures
- Barcodes
- Pre-defined labelsettings

Experience how easy marking should be.

Art. no.	Description	Sales Unit
5710190-		
563036	CabSoft 4.1.5 software	1 pcs.




Printer Parts


A4/A4+ termal transfer printers

- Print roller in rubber for A4 thermal transfer printers.
- High performace print head for A4 thermal transfer printers.
- Front cover for thermal transfer printers A4+ series.
- Tip arm for thermal transfer printer - A4+ series.
- Cutter PCU4 for A4+ series can be used on different materials as heat shrink and polyester.
- Enable you to pre-cut/perforate the material.

Art. no.		Description	Sales Unit
5710190-			
561551	(Print roller)	Green rubber	1 pcs.
561674	(Print head)	300 DPI	1 pcs.
561285	(Cutter)	PCU4	1 pcs.
561605	(Front cover)	Grey	1 pcs.
561612	(Tip arm)	Green	1 pcs.
561414	(ER 4/6/8)	For A4+ series	1 pcs.



Print roller



Printhead



Cover for controlpanel



Cutter PCU4 for A4+ series



Print Shop

You create – we print!

If you do not have the time or the equipment, CabMark Print shop is the right solution for you.

Choose amoung a wide range of cablemarkers, wiremarkers and labels for different application.

Place your order before 10 AM and you will receive your markers within 24 hours.

Contact Cabicon a/s for further information.



Disclaimer

Cabicon a/s

Please notice that all data and information in the catalogue is believed to be accurate and correct. Although the information and recommendations set forth are presented in good faith and believed to be correct of this date, Cabicon a/s assumes no liability for the completeness or accuracy.

conditions and methods of use are beyond our control, we presuppose that the persons receiving the same will make their own determination as to the suitability for their purpose.

Cabicon a/s reserves the rights to correct any errors or misprints and adjust our prices due to changes

in currency rates, suppliers' increase in prices, increase in material prices, changes in wages, freight, customs, taxes, government interventions and any other changes beyond our control.

Cabicon a/s possesses all rights to the contents and design of this catalogue. Fully or partially rendering of contents, transmission of contents or permanent storage of contents must only be done after having obtained a preceding, written assent from Cabicon a/s.



CabMark™

A brand by

cabicon

Cabicon a/s
Emil Neckelmannsvej 5
5220 Odense SØ Denmark

www.cabicon.com

Tlf.: +45 7623 4400
E-mail: sales@cabicon.com